

Лидовский В. В.

МИНИКАТАЛОГ UNICODE

U+01B7=Ʒ	U+2230=ℒ
U+0468=Ӏ	U+262F=☯
U+05D0=ℵ	U+264F=♯
U+0E05=ᶞ	U+266B=♪
U+16E0=↯	U+307C=ぼ

Владимир Викторович Лидовский

Миникаталог Unicode

Справочник содержит каталог 411 знаков UCS, встречающихся в CP437/850/866/1251/10007, KOI8-R, ISO 8859-1/5.

Для подготовки издания использовалась система plain T_EX,
с использованием Unicode-шрифта CaslonRoman.

В таблице сначала приводится код UCS-2LE, затем в скобках код UTF-8, затем вид символа и его имя в Unicode 3 и, наконец, список приведенных в справочнике 8-разрядных таблиц кодировки, в которые этот символ входит, вместе с его кодом в этих таблицах.

Символы, помеченные знаком *, можно рассматривать как управляющие.

0020 (20)	SPACE*
0021 (21)	! EXCLAMATION MARK
0022 (22)	" QUOTATION MARK
0023 (23)	# NUMBER SIGN
0024 (24)	\$ DOLLAR SIGN
0025 (25)	% PERCENT SIGN
0026 (26)	& AMPERSAND
0027 (27)	' APOSTROPHE
0028 (28)	(LEFT PARENTHESIS
0029 (29)) RIGHT PARENTHESIS
002A (2A)	* ASTERISK
002B (2B)	+ PLUS SIGN
002C (2C)	, COMMA
002D (2D)	- HYPHEN-MINUS
002E (2E)	. FULL STOP
002F (2F)	/ SOLIDUS
0030 (30)	0 DIGIT ZERO
0031 (31)	1 DIGIT ONE
0032 (32)	2 DIGIT TWO
0033 (33)	3 DIGIT THREE
0034 (34)	4 DIGIT FOUR
0035 (35)	5 DIGIT FIVE
0036 (36)	6 DIGIT SIX
0037 (37)	7 DIGIT SEVEN
0038 (38)	8 DIGIT EIGHT
0039 (39)	9 DIGIT NINE
003A (3A)	: COLON
003B (3B)	; SEMICOLON
003C (3C)	< LESS-THAN SIGN
003D (3D)	= EQUALS SIGN
003E (3E)	> GREATER-THAN SIGN
003F (3F)	? QUESTION MARK
0040 (40)	@ COMMERCIAL AT
0041 (41)	A LATIN CAPITAL LETTER A
0042 (42)	B LATIN CAPITAL LETTER B
0043 (43)	C LATIN CAPITAL LETTER C

0044 (44) D LATIN CAPITAL LETTER D
 0045 (45) E LATIN CAPITAL LETTER E
 0046 (46) F LATIN CAPITAL LETTER F
 0047 (47) G LATIN CAPITAL LETTER G
 0048 (48) H LATIN CAPITAL LETTER H
 0049 (49) I LATIN CAPITAL LETTER I
 004A (4A) J LATIN CAPITAL LETTER J
 004B (4B) K LATIN CAPITAL LETTER K
 004C (4C) L LATIN CAPITAL LETTER L
 004D (4D) M LATIN CAPITAL LETTER M
 004E (4E) N LATIN CAPITAL LETTER N
 004F (4F) O LATIN CAPITAL LETTER O
 0050 (50) P LATIN CAPITAL LETTER P
 0051 (51) Q LATIN CAPITAL LETTER Q
 0052 (52) R LATIN CAPITAL LETTER R
 0053 (53) S LATIN CAPITAL LETTER S
 0054 (54) T LATIN CAPITAL LETTER T
 0055 (55) U LATIN CAPITAL LETTER U
 0056 (56) V LATIN CAPITAL LETTER V
 0057 (57) W LATIN CAPITAL LETTER W
 0058 (58) X LATIN CAPITAL LETTER X
 0059 (59) Y LATIN CAPITAL LETTER Y
 005A (5A) Z LATIN CAPITAL LETTER Z
 005B (5B) [LEFT SQUARE BRACKET
 005C (5C) \ REVERSE SOLIDUS
 005D (5D)] RIGHT SQUARE BRACKET
 005E (5E) ^ CIRCUMFLEX ACCENT
 005F (5F) _ LOW LINE
 0060 (60) ` GRAVE ACCENT
 0061 (61) a LATIN SMALL LETTER A
 0062 (62) b LATIN SMALL LETTER B
 0063 (63) c LATIN SMALL LETTER C
 0064 (64) d LATIN SMALL LETTER D
 0065 (65) e LATIN SMALL LETTER E
 0066 (66) f LATIN SMALL LETTER F
 0067 (67) g LATIN SMALL LETTER G
 0068 (68) h LATIN SMALL LETTER H
 0069 (69) i LATIN SMALL LETTER I
 006A (6A) j LATIN SMALL LETTER J
 006B (6B) k LATIN SMALL LETTER K
 006C (6C) l LATIN SMALL LETTER L
 006D (6D) m LATIN SMALL LETTER M
 006E (6E) n LATIN SMALL LETTER N

006F (6F) o LATIN SMALL LETTER O
 0070 (70) p LATIN SMALL LETTER P
 0071 (71) q LATIN SMALL LETTER Q
 0072 (72) r LATIN SMALL LETTER R
 0073 (73) s LATIN SMALL LETTER S
 0074 (74) t LATIN SMALL LETTER T
 0075 (75) u LATIN SMALL LETTER U
 0076 (76) v LATIN SMALL LETTER V
 0077 (77) w LATIN SMALL LETTER W
 0078 (78) x LATIN SMALL LETTER X
 0079 (79) y LATIN SMALL LETTER Y
 007A (7A) z LATIN SMALL LETTER Z
 007B (7B) { LEFT CURLY BRACKET
 007C (7C) | VERTICAL LINE
 007D (7D) } RIGHT CURLY BRACKET
 007E (7E) ~ TILDE
 00A0 (C2 A0) NO-BREAK SPACE* 9A→koi8-r
 A0→8859-1,-5,cp1251 CA→cp10007 FF→cp437,cp850,cp866
 00A1 (C2 A1) ¡ INVERTED EXCLAMATION MARK A1→8859-1
 AD→cp437,cp850
 00A2 (C2 A2) ¢ CENT SIGN 9B→cp437 A2→8859-1 BD→cp850
 00A3 (C2 A3) £ POUND SIGN 9C→cp437,cp850
 A3→8859-1,cp10007
 00A4 (C2 A4) ¤ CURRENCY SIGN A4→8859-1,cp1251 CF→cp850
 FD→cp866
 00A5 (C2 A5) ¥ YEN SIGN 9D→cp437 A5→8859-1 BE→cp850
 00A6 (C2 A6) ¦ BROKEN BAR A6→8859-1,cp1251 DD→cp850
 00A7 (C2 A7) § SECTION SIGN 15→IBM_GRAPH A4→cp10007
 A7→8859-1,cp1251 F5→cp850 FD→8859-5
 00A8 (C2 A8) ¨ DIAERESIS A8→8859-1 F9→cp850
 00A9 (C2 A9) © COPYRIGHT SIGN A9→8859-1,cp10007,cp1251
 B8→cp850 BF→koi8-r
 00AA (C2 AA) ^a FEMININE ORDINAL INDICATOR
 A6→cp437,cp850 AA→8859-1
 00AB (C2 AB) « LEFT-POINTING DOUBLE ANGLE QUOTATION
 MARK AB→8859-1,cp1251 AE→cp437,cp850 C7→cp10007
 00AC (C2 AC) ¬ NOT SIGN AA→cp437,cp850 AC→8859-1,cp1251
 C2→cp10007
 00AD (C2 AD) - SOFT HYPHEN* AD→8859-1,-5,cp1251
 F0→cp850
 00AE (C2 AE) ® REGISTERED SIGN A8→cp10007 A9→cp850
 AE→8859-1,cp1251
 00AF (C2 AF) ˘ MACRON AF→8859-1 EE→cp850

00B0 (C2 B0) ° DEGREE SIGN 9C→koi8-r A1→cp10007
 B0→8859-1, cp1251 F8→cp437, cp850, cp866
 00B1 (C2 B1) ± PLUS-MINUS SIGN B1→8859-1, cp10007, cp1251
 F1→cp437, cp850
 00B2 (C2 B2) ² SUPERSCRIPT TWO 9D→koi8-r B2→8859-1
 FD→cp437, cp850
 00B3 (C2 B3) ³ SUPERSCRIPT THREE B3→8859-1 FC→cp850
 00B4 (C2 B4) ´ ACUTE ACCENT B4→8859-1 EF→cp850
 00B5 (C2 B5) µ MICRO SIGN B5→8859-1, cp10007, cp1251
 E6→cp437, cp850
 00B6 (C2 B6) ¶ PILCROW SIGN 14→IBM_GRAPH A6→cp10007
 B6→8859-1, cp1251 F4→cp850
 00B7 (C2 B7) · MIDDLE DOT 9E→koi8-r B7→8859-1, cp1251
 FA→cp437, cp850, cp866
 00B8 (C2 B8) ¸ CEDILLA B8→8859-1 F7→cp850
 00B9 (C2 B9) ¹ SUPERSCRIPT ONE B9→8859-1 FB→cp850
 00BA (C2 BA) ^o MASCULINE ORDINAL INDICATOR
 A7→cp437, cp850 BA→8859-1
 00BB (C2 BB) » RIGHT-POINTING DOUBLE ANGLE QUOTATION
 MARK AF→cp437, cp850 BB→8859-1, cp1251 C8→cp10007
 00BC (C2 BC) $\frac{1}{4}$ VULGAR FRACTION ONE QUARTER
 AC→cp437, cp850 BC→8859-1
 00BD (C2 BD) $\frac{1}{2}$ VULGAR FRACTION ONE HALF AB→cp437, cp850
 BD→8859-1
 00BE (C2 BE) $\frac{3}{4}$ VULGAR FRACTION THREE QUARTERS
 BE→8859-1 F3→cp850
 00BF (C2 BF) ¿ INVERTED QUESTION MARK A8→cp437, cp850
 BF→8859-1
 00C0 (C3 80) À LATIN CAPITAL LETTER A WITH GRAVE
 B7→cp850 C0→8859-1
 00C1 (C3 81) Á LATIN CAPITAL LETTER A WITH ACUTE
 B5→cp850 C1→8859-1
 00C2 (C3 82) Â LATIN CAPITAL LETTER A WITH CIRCUMFLEX
 B6→cp850 C2→8859-1
 00C3 (C3 83) Ã LATIN CAPITAL LETTER A WITH TILDE
 C3→8859-1 C7→cp850
 00C4 (C3 84) Ä LATIN CAPITAL LETTER A WITH DIAERESIS
 8E→cp437, cp850 C4→8859-1
 00C5 (C3 85) Å LATIN CAPITAL LETTER A WITH RING ABOVE
 8F→cp437, cp850 C5→8859-1
 00C6 (C3 86) Æ LATIN CAPITAL LETTER AE 92→cp437, cp850
 C6→8859-1

00C7 (C3 87) Ç LATIN CAPITAL LETTER C WITH CEDILLA
 80 → cp437, cp850 C7 → 8859-1
 00C8 (C3 88) È LATIN CAPITAL LETTER E WITH GRAVE
 C8 → 8859-1 D4 → cp850
 00C9 (C3 89) É LATIN CAPITAL LETTER E WITH ACUTE
 90 → cp437, cp850 C9 → 8859-1
 00CA (C3 8A) Ê LATIN CAPITAL LETTER E WITH CIRCUMFLEX
 CA → 8859-1 D2 → cp850
 00CB (C3 8B) Ë LATIN CAPITAL LETTER E WITH DIAERESIS
 CB → 8859-1 D3 → cp850
 00CC (C3 8C) Ì LATIN CAPITAL LETTER I WITH GRAVE
 CC → 8859-1 DE → cp850
 00CD (C3 8D) Í LATIN CAPITAL LETTER I WITH ACUTE
 CD → 8859-1 D6 → cp850
 00CE (C3 8E) Î LATIN CAPITAL LETTER I WITH CIRCUMFLEX
 CE → 8859-1 D7 → cp850
 00CF (C3 8F) Ï LATIN CAPITAL LETTER I WITH DIAERESIS
 CF → 8859-1 D8 → cp850
 00D0 (C3 90) Ð LATIN CAPITAL LETTER ETH D0 → 8859-1
 D1 → cp850
 00D1 (C3 91) Ñ LATIN CAPITAL LETTER N WITH TILDE
 A5 → cp437, cp850 D1 → 8859-1
 00D2 (C3 92) Ò LATIN CAPITAL LETTER O WITH GRAVE
 D2 → 8859-1 E3 → cp850
 00D3 (C3 93) Ó LATIN CAPITAL LETTER O WITH ACUTE
 D3 → 8859-1 E0 → cp850
 00D4 (C3 94) Ô LATIN CAPITAL LETTER O WITH CIRCUMFLEX
 D4 → 8859-1 E2 → cp850
 00D5 (C3 95) Õ LATIN CAPITAL LETTER O WITH TILDE
 D5 → 8859-1 E5 → cp850
 00D6 (C3 96) Ö LATIN CAPITAL LETTER O WITH DIAERESIS
 99 → cp437, cp850 D6 → 8859-1
 00D7 (C3 97) × MULTIPLICATION SIGN 9E → cp850 D7 → 8859-1
 00D8 (C3 98) Ø LATIN CAPITAL LETTER O WITH STROKE
 9D → cp850 D8 → 8859-1
 00D9 (C3 99) Ù LATIN CAPITAL LETTER U WITH GRAVE
 D9 → 8859-1 EB → cp850
 00DA (C3 9A) Ú LATIN CAPITAL LETTER U WITH ACUTE
 DA → 8859-1 E9 → cp850
 00DB (C3 9B) Û LATIN CAPITAL LETTER U WITH CIRCUMFLEX
 DB → 8859-1 EA → cp850
 00DC (C3 9C) Ü LATIN CAPITAL LETTER U WITH DIAERESIS
 9A → cp437, cp850 DC → 8859-1

00DD (C3 9D) Ÿ LATIN CAPITAL LETTER Y WITH ACUTE
 DD → 8859-1 ED → cp850

00DE (C3 9E) Þ LATIN CAPITAL LETTER THORN DE → 8859-1
 E8 → cp850

00DF (C3 9F) ß LATIN SMALL LETTER SHARP S DF → 8859-1
 E1 → cp437, cp850

00E0 (C3 A0) à LATIN SMALL LETTER A WITH GRAVE
 85 → cp437, cp850 E0 → 8859-1

00E1 (C3 A1) á LATIN SMALL LETTER A WITH ACUTE
 A0 → cp437, cp850 E1 → 8859-1

00E2 (C3 A2) â LATIN SMALL LETTER A WITH CIRCUMFLEX
 83 → cp437, cp850 E2 → 8859-1

00E3 (C3 A3) ã LATIN SMALL LETTER A WITH TILDE C6 → cp850
 E3 → 8859-1

00E4 (C3 A4) ä LATIN SMALL LETTER A WITH DIAERESIS
 84 → cp437, cp850 E4 → 8859-1

00E5 (C3 A5) å LATIN SMALL LETTER A WITH RING ABOVE
 86 → cp437, cp850 E5 → 8859-1

00E6 (C3 A6) æ LATIN SMALL LETTER AE 91 → cp437, cp850
 E6 → 8859-1

00E7 (C3 A7) ç LATIN SMALL LETTER C WITH CEDILLA
 87 → cp437, cp850 E7 → 8859-1

00E8 (C3 A8) è LATIN SMALL LETTER E WITH GRAVE
 8A → cp437, cp850 E8 → 8859-1

00E9 (C3 A9) é LATIN SMALL LETTER E WITH ACUTE
 82 → cp437, cp850 E9 → 8859-1

00EA (C3 AA) ê LATIN SMALL LETTER E WITH CIRCUMFLEX
 88 → cp437, cp850 EA → 8859-1

00EB (C3 AB) ë LATIN SMALL LETTER E WITH DIAERESIS
 89 → cp437, cp850 EB → 8859-1

00EC (C3 AC) ì LATIN SMALL LETTER I WITH GRAVE
 8D → cp437, cp850 EC → 8859-1

00ED (C3 AD) í LATIN SMALL LETTER I WITH ACUTE
 A1 → cp437, cp850 ED → 8859-1

00EE (C3 AE) î LATIN SMALL LETTER I WITH CIRCUMFLEX
 8C → cp437, cp850 EE → 8859-1

00EF (C3 AF) ï LATIN SMALL LETTER I WITH DIAERESIS
 8B → cp437, cp850 EF → 8859-1

00F0 (C3 B0) ð LATIN SMALL LETTER ETH D0 → cp850
 F0 → 8859-1

00F1 (C3 B1) ñ LATIN SMALL LETTER N WITH TILDE
 A4 → cp437, cp850 F1 → 8859-1

00F2 (C3 B2) ò LATIN SMALL LETTER O WITH GRAVE
 95 → cp437, cp850 F2 → 8859-1
 00F3 (C3 B3) ó LATIN SMALL LETTER O WITH ACUTE
 A2 → cp437, cp850 F3 → 8859-1
 00F4 (C3 B4) ô LATIN SMALL LETTER O WITH CIRCUMFLEX
 93 → cp437, cp850 F4 → 8859-1
 00F5 (C3 B5) õ LATIN SMALL LETTER O WITH TILDE E4 → cp850
 F5 → 8859-1
 00F6 (C3 B6) ö LATIN SMALL LETTER O WITH DIAERESIS
 94 → cp437, cp850 F6 → 8859-1
 00F7 (C3 B7) ÷ DIVISION SIGN 9F → koi8-r D6 → cp10007
 F6 → cp437, cp850 F7 → 8859-1
 00F8 (C3 B8) ø LATIN SMALL LETTER O WITH STROKE
 9B → cp850 F8 → 8859-1
 00F9 (C3 B9) ù LATIN SMALL LETTER U WITH GRAVE
 97 → cp437, cp850 F9 → 8859-1
 00FA (C3 BA) ú LATIN SMALL LETTER U WITH ACUTE
 A3 → cp437, cp850 FA → 8859-1
 00FB (C3 BB) û LATIN SMALL LETTER U WITH CIRCUMFLEX
 96 → cp437, cp850 FB → 8859-1
 00FC (C3 BC) ü LATIN SMALL LETTER U WITH DIAERESIS
 81 → cp437, cp850 FC → 8859-1
 00FD (C3 BD) ý LATIN SMALL LETTER Y WITH ACUTE
 EC → cp850 FD → 8859-1
 00FE (C3 BE) þ LATIN SMALL LETTER THORN E7 → cp850
 FE → 8859-1
 00FF (C3 BF) ÿ LATIN SMALL LETTER Y WITH DIAERESIS
 98 → cp437, cp850 FF → 8859-1
 0131 (C4 B1) ï LATIN SMALL LETTER DOTLESS I D5 → cp850
 0192 (C6 92) ƒ LATIN SMALL LETTER F WITH HOOK
 9F → cp437, cp850 C4 → cp10007
 0393 (CE 93) Γ GREEK CAPITAL LETTER GAMMA E2 → cp437
 0398 (CE 98) Θ GREEK CAPITAL LETTER THETA E9 → cp437
 03A3 (CE A3) Σ GREEK CAPITAL LETTER SIGMA E4 → cp437
 03A6 (CE A6) Φ GREEK CAPITAL LETTER PHI E8 → cp437
 03A9 (CE A9) Ω GREEK CAPITAL LETTER OMEGA EA → cp437
 03B1 (CE B1) α GREEK SMALL LETTER ALPHA E0 → cp437
 03B4 (CE B4) δ GREEK SMALL LETTER DELTA EB → cp437
 03B5 (CE B5) ε GREEK SMALL LETTER EPSILON EE → cp437
 03C0 (CF 80) π GREEK SMALL LETTER PI E3 → cp437
 03C3 (CF 83) σ GREEK SMALL LETTER SIGMA E5 → cp437
 03C4 (CF 84) τ GREEK SMALL LETTER TAU E7 → cp437
 03C6 (CF 86) φ GREEK SMALL LETTER PHI ED → cp437

0401 (D0 81) Ё CYRILLIC CAPITAL LETTER IO A1 → 8859-5
 A8 → cp1251 B3 → koi8-r DD → cp10007 F0 → cp866
 0402 (D0 82) Ъ CYRILLIC CAPITAL LETTER DJE 80 → cp1251
 A2 → 8859-5 AB → cp10007
 0403 (D0 83) Ѓ CYRILLIC CAPITAL LETTER GJE 81 → cp1251
 A3 → 8859-5 AE → cp10007
 0404 (D0 84) Є CYRILLIC CAPITAL LETTER UKRAINIAN IE
 A4 → 8859-5 AA → cp1251 B8 → cp10007 F2 → cp866
 0405 (D0 85) С CYRILLIC CAPITAL LETTER DZE A5 → 8859-5
 BD → cp1251 C1 → cp10007
 0406 (D0 86) І CYRILLIC CAPITAL LETTER BYELORUSSIAN-
 UKRAINIAN I A6 → 8859-5 A7 → cp10007 B2 → cp1251
 0407 (D0 87) Ї CYRILLIC CAPITAL LETTER YI A7 → 8859-5
 AF → cp1251 BA → cp10007 F4 → cp866
 0408 (D0 88) Ј CYRILLIC CAPITAL LETTER JE A3 → cp1251
 A8 → 8859-5 B7 → cp10007
 0409 (D0 89) Љ CYRILLIC CAPITAL LETTER LJE 8A → cp1251
 A9 → 8859-5 BC → cp10007
 040A (D0 8A) Њ CYRILLIC CAPITAL LETTER NJE 8C → cp1251
 AA → 8859-5 BE → cp10007
 040B (D0 8B) Ћ CYRILLIC CAPITAL LETTER TSHE 8E → cp1251
 AB → 8859-5 CB → cp10007
 040C (D0 8C) Ќ CYRILLIC CAPITAL LETTER KJE 8D → cp1251
 AC → 8859-5 CD → cp10007
 040E (D0 8E) Ў CYRILLIC CAPITAL LETTER SHORT U
 A1 → cp1251 AE → 8859-5 D8 → cp10007 F6 → cp866
 040F (D0 8F) ІІ CYRILLIC CAPITAL LETTER DZHE 8F → cp1251
 AF → 8859-5 DA → cp10007
 0410 (D0 90) А CYRILLIC CAPITAL LETTER A
 80 → cp10007, cp866 B0 → 8859-5 C0 → cp1251 E1 → koi8-r
 0411 (D0 91) Б CYRILLIC CAPITAL LETTER BE
 81 → cp10007, cp866 B1 → 8859-5 C1 → cp1251 E2 → koi8-r
 0412 (D0 92) В CYRILLIC CAPITAL LETTER VE
 82 → cp10007, cp866 B2 → 8859-5 C2 → cp1251 F7 → koi8-r
 0413 (D0 93) Г CYRILLIC CAPITAL LETTER GHE
 83 → cp10007, cp866 B3 → 8859-5 C3 → cp1251 E7 → koi8-r
 0414 (D0 94) Д CYRILLIC CAPITAL LETTER DE
 84 → cp10007, cp866 B4 → 8859-5 C4 → cp1251 E4 → koi8-r
 0415 (D0 95) Е CYRILLIC CAPITAL LETTER IE
 85 → cp10007, cp866 B5 → 8859-5 C5 → cp1251 E5 → koi8-r
 0416 (D0 96) Ж CYRILLIC CAPITAL LETTER ZHE
 86 → cp10007, cp866 B6 → 8859-5 C6 → cp1251 F6 → koi8-r

0417 (D0 97) З CYRILLIC CAPITAL LETTER ZE
 87 → cp10007, cp866 B7 → 8859-5 C7 → cp1251 FA → koi8-r
 0418 (D0 98) И CYRILLIC CAPITAL LETTER I 88 → cp10007, cp866
 B8 → 8859-5 C8 → cp1251 E9 → koi8-r
 0419 (D0 99) Ы CYRILLIC CAPITAL LETTER SHORT I
 89 → cp10007, cp866 B9 → 8859-5 C9 → cp1251 EA → koi8-r
 041A (D0 9A) К CYRILLIC CAPITAL LETTER KA
 8A → cp10007, cp866 BA → 8859-5 CA → cp1251 EB → koi8-r
 041B (D0 9B) Л CYRILLIC CAPITAL LETTER EL
 8B → cp10007, cp866 BB → 8859-5 CB → cp1251 EC → koi8-r
 041C (D0 9C) М CYRILLIC CAPITAL LETTER EM
 8C → cp10007, cp866 BC → 8859-5 CC → cp1251 ED → koi8-r
 041D (D0 9D) Н CYRILLIC CAPITAL LETTER EN
 8D → cp10007, cp866 BD → 8859-5 CD → cp1251 EE → koi8-r
 041E (D0 9E) О CYRILLIC CAPITAL LETTER O
 8E → cp10007, cp866 BE → 8859-5 CE → cp1251 EF → koi8-r
 041F (D0 9F) П CYRILLIC CAPITAL LETTER PE
 8F → cp10007, cp866 BF → 8859-5 CF → cp1251 F0 → koi8-r
 0420 (D0 A0) Р CYRILLIC CAPITAL LETTER ER
 90 → cp10007, cp866 C0 → 8859-5 D0 → cp1251 F2 → koi8-r
 0421 (D0 A1) С CYRILLIC CAPITAL LETTER ES
 91 → cp10007, cp866 C1 → 8859-5 D1 → cp1251 F3 → koi8-r
 0422 (D0 A2) Т CYRILLIC CAPITAL LETTER TE
 92 → cp10007, cp866 C2 → 8859-5 D2 → cp1251 F4 → koi8-r
 0423 (D0 A3) У CYRILLIC CAPITAL LETTER U
 93 → cp10007, cp866 C3 → 8859-5 D3 → cp1251 F5 → koi8-r
 0424 (D0 A4) Ф CYRILLIC CAPITAL LETTER EF
 94 → cp10007, cp866 C4 → 8859-5 D4 → cp1251 E6 → koi8-r
 0425 (D0 A5) Х CYRILLIC CAPITAL LETTER HA
 95 → cp10007, cp866 C5 → 8859-5 D5 → cp1251 E8 → koi8-r
 0426 (D0 A6) Ц CYRILLIC CAPITAL LETTER TSE
 96 → cp10007, cp866 C6 → 8859-5 D6 → cp1251 E3 → koi8-r
 0427 (D0 A7) Ч CYRILLIC CAPITAL LETTER CHE
 97 → cp10007, cp866 C7 → 8859-5 D7 → cp1251 FE → koi8-r
 0428 (D0 A8) Ш CYRILLIC CAPITAL LETTER SHA
 98 → cp10007, cp866 C8 → 8859-5 D8 → cp1251 FB → koi8-r
 0429 (D0 A9) Щ CYRILLIC CAPITAL LETTER SHCHA
 99 → cp10007, cp866 C9 → 8859-5 D9 → cp1251 FD → koi8-r
 042A (D0 AA) Ъ CYRILLIC CAPITAL LETTER HARD SIGN
 9A → cp10007, cp866 CA → 8859-5 DA → cp1251 FF → koi8-r
 042B (D0 AB) Ы CYRILLIC CAPITAL LETTER YERU
 9B → cp10007, cp866 CB → 8859-5 DB → cp1251 F9 → koi8-r

042C (D0 AC) Ъ CYRILLIC CAPITAL LETTER SOFT SIGN
 9C → cp10007, cp866 CC → 8859-5 DC → cp1251 F8 → koi8-r
 042D (D0 AD) Э CYRILLIC CAPITAL LETTER E 9D → cp10007, cp866
 CD → 8859-5 DD → cp1251 FC → koi8-r
 042E (D0 AE) Ю CYRILLIC CAPITAL LETTER YU
 9E → cp10007, cp866 CE → 8859-5 DE → cp1251 E0 → koi8-r
 042F (D0 AF) Я CYRILLIC CAPITAL LETTER YA
 9F → cp10007, cp866 CF → 8859-5 DF → cp1251 F1 → koi8-r
 0430 (D0 B0) а CYRILLIC SMALL LETTER A A0 → cp866
 C1 → koi8-r D0 → 8859-5 E0 → cp10007, cp1251
 0431 (D0 B1) б CYRILLIC SMALL LETTER BE A1 → cp866
 C2 → koi8-r D1 → 8859-5 E1 → cp10007, cp1251
 0432 (D0 B2) в CYRILLIC SMALL LETTER VE A2 → cp866
 D2 → 8859-5 D7 → koi8-r E2 → cp10007, cp1251
 0433 (D0 B3) г CYRILLIC SMALL LETTER GHE A3 → cp866
 C7 → koi8-r D3 → 8859-5 E3 → cp10007, cp1251
 0434 (D0 B4) д CYRILLIC SMALL LETTER DE A4 → cp866
 C4 → koi8-r D4 → 8859-5 E4 → cp10007, cp1251
 0435 (D0 B5) е CYRILLIC SMALL LETTER IE A5 → cp866
 C5 → koi8-r D5 → 8859-5 E5 → cp10007, cp1251
 0436 (D0 B6) ж CYRILLIC SMALL LETTER ZHE A6 → cp866
 D6 → 8859-5, koi8-r E6 → cp10007, cp1251
 0437 (D0 B7) з CYRILLIC SMALL LETTER ZE A7 → cp866
 D7 → 8859-5 DA → koi8-r E7 → cp10007, cp1251
 0438 (D0 B8) и CYRILLIC SMALL LETTER I A8 → cp866
 C9 → koi8-r D8 → 8859-5 E8 → cp10007, cp1251
 0439 (D0 B9) й CYRILLIC SMALL LETTER SHORT I A9 → cp866
 CA → koi8-r D9 → 8859-5 E9 → cp10007, cp1251
 043A (D0 BA) к CYRILLIC SMALL LETTER KA AA → cp866
 CB → koi8-r DA → 8859-5 EA → cp10007, cp1251
 043B (D0 BB) л CYRILLIC SMALL LETTER EL AB → cp866
 CC → koi8-r DB → 8859-5 EB → cp10007, cp1251
 043C (D0 BC) м CYRILLIC SMALL LETTER EM AC → cp866
 CD → koi8-r DC → 8859-5 EC → cp10007, cp1251
 043D (D0 BD) н CYRILLIC SMALL LETTER EN AD → cp866
 CE → koi8-r DD → 8859-5 ED → cp10007, cp1251
 043E (D0 BE) о CYRILLIC SMALL LETTER O AE → cp866
 CF → koi8-r DE → 8859-5 EE → cp10007, cp1251
 043F (D0 BF) п CYRILLIC SMALL LETTER PE AF → cp866
 D0 → koi8-r DF → 8859-5 EF → cp10007, cp1251
 0440 (D1 80) р CYRILLIC SMALL LETTER ER D2 → koi8-r
 E0 → 8859-5, cp866 F0 → cp10007, cp1251

0441 (D1 81) ґ CYRILLIC SMALL LETTER ES D3→koi8-r
 E1→8859-5,cp866 F1→cp10007,cp1251
 0442 (D1 82) ҕ CYRILLIC SMALL LETTER TE D4→koi8-r
 E2→8859-5,cp866 F2→cp10007,cp1251
 0443 (D1 83) ҕ CYRILLIC SMALL LETTER U D5→koi8-r
 E3→8859-5,cp866 F3→cp10007,cp1251
 0444 (D1 84) Җ CYRILLIC SMALL LETTER EF C6→koi8-r
 E4→8859-5,cp866 F4→cp10007,cp1251
 0445 (D1 85) Ҙ CYRILLIC SMALL LETTER HA C8→koi8-r
 E5→8859-5,cp866 F5→cp10007,cp1251
 0446 (D1 86) Ҡ CYRILLIC SMALL LETTER TSE C3→koi8-r
 E6→8859-5,cp866 F6→cp10007,cp1251
 0447 (D1 87) Ң CYRILLIC SMALL LETTER CHE DE→koi8-r
 E7→8859-5,cp866 F7→cp10007,cp1251
 0448 (D1 88) Ң CYRILLIC SMALL LETTER SHA DB→koi8-r
 E8→8859-5,cp866 F8→cp10007,cp1251
 0449 (D1 89) Ҥ CYRILLIC SMALL LETTER SHCHA DD→koi8-r
 E9→8859-5,cp866 F9→cp10007,cp1251
 044A (D1 8A) Ҧ CYRILLIC SMALL LETTER HARD SIGN
 DF→koi8-r EA→8859-5,cp866 FA→cp10007,cp1251
 044B (D1 8B) Ҩ CYRILLIC SMALL LETTER YERU D9→koi8-r
 EB→8859-5,cp866 FB→cp10007,cp1251
 044C (D1 8C) Ҭ CYRILLIC SMALL LETTER SOFT SIGN
 D8→koi8-r EC→8859-5,cp866 FC→cp10007,cp1251
 044D (D1 8D) Ҭ CYRILLIC SMALL LETTER E DC→koi8-r
 ED→8859-5,cp866 FD→cp10007,cp1251
 044E (D1 8E) Ү CYRILLIC SMALL LETTER YU C0→koi8-r
 EE→8859-5,cp866 FE→cp10007,cp1251
 044F (D1 8F) Ү CYRILLIC SMALL LETTER YA D1→koi8-r
 DF→cp10007 EF→8859-5,cp866 FF→cp1251
 0451 (D1 91) ӱ CYRILLIC SMALL LETTER IO A3→koi8-r
 B8→cp1251 DE→cp10007 F1→8859-5,cp866
 0452 (D1 92) ӡ CYRILLIC SMALL LETTER DJE 90→cp1251
 AC→cp10007 F2→8859-5
 0453 (D1 93) Ӣ CYRILLIC SMALL LETTER GJE 83→cp1251
 AF→cp10007 F3→8859-5
 0454 (D1 94) Ӥ CYRILLIC SMALL LETTER UKRAINIAN IE
 B9→cp10007 BA→cp1251 F3→cp866 F4→8859-5
 0455 (D1 95) Ӧ CYRILLIC SMALL LETTER DZE BE→cp1251
 CF→cp10007 F5→8859-5
 0456 (D1 96) ӧ CYRILLIC SMALL LETTER BYELORUSSIAN-
 UKRAINIAN I B3→cp1251 B4→cp10007 F6→8859-5

0457 (D1 97) ÿ CYRILLIC SMALL LETTER YI BB → cp10007
 BF → cp1251 F5 → cp866 F7 → 8859-5
 0458 (D1 98) ј CYRILLIC SMALL LETTER JE BC → cp1251
 C0 → cp10007 F8 → 8859-5
 0459 (D1 99) њ CYRILLIC SMALL LETTER LJE 9A → cp1251
 BD → cp10007 F9 → 8859-5
 045A (D1 9A) њ CYRILLIC SMALL LETTER NJE 9C → cp1251
 BF → cp10007 FA → 8859-5
 045B (D1 9B) њ CYRILLIC SMALL LETTER TSHE 9E → cp1251
 CC → cp10007 FB → 8859-5
 045C (D1 9C) њ CYRILLIC SMALL LETTER KJE 9D → cp1251
 CE → cp10007 FC → 8859-5
 045E (D1 9E) њ CYRILLIC SMALL LETTER SHORT U A2 → cp1251
 D9 → cp10007 F7 → cp866 FE → 8859-5
 045F (D1 9F) њ CYRILLIC SMALL LETTER DZHE 9F → cp1251
 DB → cp10007 FF → 8859-5
 0490 (D2 90) Г CYRILLIC CAPITAL LETTER GHE WITH UPTURN
 A2 → cp10007 A5 → cp1251
 0491 (D2 91) г CYRILLIC SMALL LETTER GHE WITH UPTURN
 B4 → cp1251 B6 → cp10007
 2013 (E2 80 93) – EN DASH 96 → cp1251 D0 → cp10007
 2014 (E2 80 94) — EM DASH 97 → cp1251 D1 → cp10007
 2017 (E2 80 97) = DOUBLE LOW LINE F2 → cp850
 2018 (E2 80 98) ‘ LEFT SINGLE QUOTATION MARK 91 → cp1251
 D4 → cp10007
 2019 (E2 80 99) ’ RIGHT SINGLE QUOTATION MARK 92 → cp1251
 D5 → cp10007
 201A (E2 80 9A) ‚ SINGLE LOW-9 QUOTATION MARK 82 → cp1251
 201C (E2 80 9C) “ LEFT DOUBLE QUOTATION MARK 93 → cp1251
 D2 → cp10007
 201D (E2 80 9D) ” RIGHT DOUBLE QUOTATION MARK
 94 → cp1251 D3 → cp10007
 201E (E2 80 9E) „ DOUBLE LOW-9 QUOTATION MARK
 84 → cp1251 D7 → cp10007
 2020 (E2 80 A0) † DAGGER 86 → cp1251 A0 → cp10007
 2021 (E2 80 A1) ‡ DOUBLE DAGGER 87 → cp1251
 2022 (E2 80 A2) • BULLET 07 → IBM_GRAPH 95 → cp1251
 A5 → cp10007
 2026 (E2 80 A6) … HORIZONTAL ELLIPSIS 85 → cp1251
 C9 → cp10007
 2030 (E2 80 B0) ‰ PER MILLE SIGN 89 → cp1251
 2039 (E2 80 B9) ‹ SINGLE LEFT-POINTING ANGLE QUOTATION
 MARK 8B → cp1251

203A (E2 80 BA) } SINGLE RIGHT-POINTING ANGLE QUOTATION
 MARK 9B → cp1251
 203C (E2 80 BC) !! DOUBLE EXCLAMATION MARK 13 → IBM_GRAPH
 207F (E2 81 BF) ⁿ SUPERSCRIPT LATIN SMALL LETTER N
 FC → cp437
 20A7 (E2 82 A7) ₧ PESETA SIGN 9E → cp437
 20AC (E2 82 AC) € EURO SIGN 88 → cp1251 FF → cp10007
 2116 (E2 84 96) № NUMERO SIGN B9 → cp1251 DC → cp10007
 F0 → 8859-5 FC → cp866
 2122 (E2 84 A2) ™ TRADE MARK SIGN 99 → cp1251 AA → cp10007
 2190 (E2 86 90) ← LEFTWARDS ARROW 1B → IBM_GRAPH
 2191 (E2 86 91) ↑ UPWARDS ARROW 18 → IBM_GRAPH
 2192 (E2 86 92) → RIGHTWARDS ARROW 1A → IBM_GRAPH
 2193 (E2 86 93) ↓ DOWNWARDS ARROW 19 → IBM_GRAPH
 2194 (E2 86 94) ↔ LEFT RIGHT ARROW 1D → IBM_GRAPH
 2195 (E2 86 95) ⇕ UP DOWN ARROW 12 → IBM_GRAPH
 21A8 (E2 86 A8) ⇓ UP DOWN ARROW WITH BASE 17 → IBM_GRAPH
 2206 (E2 88 86) Δ INCREMENT C6 → cp10007
 2219 (E2 88 99) · BULLET OPERATOR 95 → koi8-r
 F9 → cp437, cp866
 221A (E2 88 9A) √ SQUARE ROOT 96 → koi8-r C3 → cp10007
 FB → cp437, cp866
 221E (E2 88 9E) ∞ INFINITY B0 → cp10007 EC → cp437
 221F (E2 88 9F) ⊥ RIGHT ANGLE 1C → IBM_GRAPH
 2229 (E2 88 A9) ∩ INTERSECTION EF → cp437
 2248 (E2 89 88) ≈ ALMOST EQUAL TO 97 → koi8-r C5 → cp10007
 F7 → cp437
 2260 (E2 89 A0) ≠ NOT EQUAL TO AD → cp10007
 2261 (E2 89 A1) ≡ IDENTICAL TO F0 → cp437
 2264 (E2 89 A4) ≤ LESS-THAN OR EQUAL TO 98 → koi8-r
 B2 → cp10007 F3 → cp437
 2265 (E2 89 A5) ≥ GREATER-THAN OR EQUAL TO 99 → koi8-r
 B3 → cp10007 F2 → cp437
 2302 (E2 8C 82) ⊞ HOUSE 7F → IBM_GRAPH
 2310 (E2 8C 90) ⋈ REVERSED NOT SIGN A9 → cp437
 2320 (E2 8C A0) ∫ TOP HALF INTEGRAL 93 → koi8-r F4 → cp437
 2321 (E2 8C A1) ∫ BOTTOM HALF INTEGRAL 9B → koi8-r
 F5 → cp437
 2500 (E2 94 80) — BOX DRAWINGS LIGHT HORIZONTAL
 80 → koi8-r C4 → cp437, cp850, cp866
 2502 (E2 94 82) | BOX DRAWINGS LIGHT VERTICAL 81 → koi8-r
 B3 → cp437, cp850, cp866

250C (E2 94 8C) \lrcorner BOX DRAWINGS LIGHT DOWN AND RIGHT
 82 \rightarrow koi8-r DA \rightarrow cp437, cp850, cp866
 2510 (E2 94 90) \lrcorner BOX DRAWINGS LIGHT DOWN AND LEFT
 83 \rightarrow koi8-r BF \rightarrow cp437, cp850, cp866
 2514 (E2 94 94) \llcorner BOX DRAWINGS LIGHT UP AND RIGHT
 84 \rightarrow koi8-r C0 \rightarrow cp437, cp850, cp866
 2518 (E2 94 98) \lrcorner BOX DRAWINGS LIGHT UP AND LEFT
 85 \rightarrow koi8-r D9 \rightarrow cp437, cp850, cp866
 251C (E2 94 9C) \lrcorner BOX DRAWINGS LIGHT VERTICAL AND RIGHT
 86 \rightarrow koi8-r C3 \rightarrow cp437, cp850, cp866
 2524 (E2 94 A4) \lrcorner BOX DRAWINGS LIGHT VERTICAL AND LEFT
 87 \rightarrow koi8-r B4 \rightarrow cp437, cp850, cp866
 252C (E2 94 AC) \lrcorner BOX DRAWINGS LIGHT DOWN AND
 HORIZONTAL 88 \rightarrow koi8-r C2 \rightarrow cp437, cp850, cp866
 2534 (E2 94 B4) \lrcorner BOX DRAWINGS LIGHT UP AND HORIZONTAL
 89 \rightarrow koi8-r C1 \rightarrow cp437, cp850, cp866
 253C (E2 94 BC) \lrcorner BOX DRAWINGS LIGHT VERTICAL AND
 HORIZONTAL 8A \rightarrow koi8-r C5 \rightarrow cp437, cp850, cp866
 2550 (E2 95 90) \equiv BOX DRAWINGS DOUBLE HORIZONTAL
 A0 \rightarrow koi8-r CD \rightarrow cp437, cp850, cp866
 2551 (E2 95 91) \parallel BOX DRAWINGS DOUBLE VERTICAL
 A1 \rightarrow koi8-r BA \rightarrow cp437, cp850, cp866
 2552 (E2 95 92) \lrcorner BOX DRAWINGS DOWN SINGLE AND RIGHT
 DOUBLE A2 \rightarrow koi8-r D5 \rightarrow cp437, cp866
 2553 (E2 95 93) \lrcorner BOX DRAWINGS DOWN DOUBLE AND RIGHT
 SINGLE A4 \rightarrow koi8-r D6 \rightarrow cp437, cp866
 2554 (E2 95 94) \lrcorner BOX DRAWINGS DOUBLE DOWN AND RIGHT
 A5 \rightarrow koi8-r C9 \rightarrow cp437, cp850, cp866
 2555 (E2 95 95) \lrcorner BOX DRAWINGS DOWN SINGLE AND LEFT
 DOUBLE A6 \rightarrow koi8-r B8 \rightarrow cp437, cp866
 2556 (E2 95 96) \lrcorner BOX DRAWINGS DOWN DOUBLE AND LEFT
 SINGLE A7 \rightarrow koi8-r B7 \rightarrow cp437, cp866
 2557 (E2 95 97) \lrcorner BOX DRAWINGS DOUBLE DOWN AND LEFT
 A8 \rightarrow koi8-r BB \rightarrow cp437, cp850, cp866
 2558 (E2 95 98) \llcorner BOX DRAWINGS UP SINGLE AND RIGHT
 DOUBLE A9 \rightarrow koi8-r D4 \rightarrow cp437, cp866
 2559 (E2 95 99) \llcorner BOX DRAWINGS UP DOUBLE AND RIGHT
 SINGLE AA \rightarrow koi8-r D3 \rightarrow cp437, cp866
 255A (E2 95 9A) \llcorner BOX DRAWINGS DOUBLE UP AND RIGHT
 AB \rightarrow koi8-r C8 \rightarrow cp437, cp850, cp866
 255B (E2 95 9B) \lrcorner BOX DRAWINGS UP SINGLE AND LEFT
 DOUBLE AC \rightarrow koi8-r BE \rightarrow cp437, cp866

255C (E2 95 9C) \Downarrow BOX DRAWINGS UP DOUBLE AND LEFT
 SINGLE AD \rightarrow koi8-r BD \rightarrow cp437, cp866
 255D (E2 95 9D) \Downarrow BOX DRAWINGS DOUBLE UP AND LEFT
 AE \rightarrow koi8-r BC \rightarrow cp437, cp850, cp866
 255E (E2 95 9E) \vdash BOX DRAWINGS VERTICAL SINGLE AND
 RIGHT DOUBLE AF \rightarrow koi8-r C6 \rightarrow cp437, cp866
 255F (E2 95 9F) \vdash BOX DRAWINGS VERTICAL DOUBLE AND
 RIGHT SINGLE B0 \rightarrow koi8-r C7 \rightarrow cp437, cp866
 2560 (E2 95 A0) \vdash BOX DRAWINGS DOUBLE VERTICAL AND
 RIGHT B1 \rightarrow koi8-r CC \rightarrow cp437, cp850, cp866
 2561 (E2 95 A1) \Downarrow BOX DRAWINGS VERTICAL SINGLE AND LEFT
 DOUBLE B2 \rightarrow koi8-r B5 \rightarrow cp437, cp866
 2562 (E2 95 A2) \Downarrow BOX DRAWINGS VERTICAL DOUBLE AND LEFT
 SINGLE B4 \rightarrow koi8-r B6 \rightarrow cp437, cp866
 2563 (E2 95 A3) \Downarrow BOX DRAWINGS DOUBLE VERTICAL AND LEFT
 B5 \rightarrow koi8-r B9 \rightarrow cp437, cp850, cp866
 2564 (E2 95 A4) \Uparrow BOX DRAWINGS DOWN SINGLE AND
 HORIZONTAL DOUBLE B6 \rightarrow koi8-r D1 \rightarrow cp437, cp866
 2565 (E2 95 A5) \Uparrow BOX DRAWINGS DOWN DOUBLE AND
 HORIZONTAL SINGLE B7 \rightarrow koi8-r D2 \rightarrow cp437, cp866
 2566 (E2 95 A6) \Uparrow BOX DRAWINGS DOUBLE DOWN AND
 HORIZONTAL B8 \rightarrow koi8-r CB \rightarrow cp437, cp850, cp866
 2567 (E2 95 A7) \perp BOX DRAWINGS UP SINGLE AND HORIZONTAL
 DOUBLE B9 \rightarrow koi8-r CF \rightarrow cp437, cp866
 2568 (E2 95 A8) \perp BOX DRAWINGS UP DOUBLE AND
 HORIZONTAL SINGLE BA \rightarrow koi8-r D0 \rightarrow cp437, cp866
 2569 (E2 95 A9) \perp BOX DRAWINGS DOUBLE UP AND
 HORIZONTAL BB \rightarrow koi8-r CA \rightarrow cp437, cp850, cp866
 256A (E2 95 AA) \perp BOX DRAWINGS VERTICAL SINGLE AND
 HORIZONTAL DOUBLE BC \rightarrow koi8-r D8 \rightarrow cp437, cp866
 256B (E2 95 AB) \perp BOX DRAWINGS VERTICAL DOUBLE AND
 HORIZONTAL SINGLE BD \rightarrow koi8-r D7 \rightarrow cp437, cp866
 256C (E2 95 AC) \perp BOX DRAWINGS DOUBLE VERTICAL AND
 HORIZONTAL BE \rightarrow koi8-r CE \rightarrow cp437, cp850, cp866
 2580 (E2 96 80) \blacksquare UPPER HALF BLOCK 8B \rightarrow koi8-r
 DF \rightarrow cp437, cp850, cp866
 2584 (E2 96 84) \blacksquare LOWER HALF BLOCK 8C \rightarrow koi8-r
 DC \rightarrow cp437, cp850, cp866
 2588 (E2 96 88) \blacksquare FULL BLOCK 8D \rightarrow koi8-r
 DB \rightarrow cp437, cp850, cp866
 258C (E2 96 8C) \blacksquare LEFT HALF BLOCK 8E \rightarrow koi8-r
 DD \rightarrow cp437, cp866

2590 (E2 96 90) ■ RIGHT HALF BLOCK 8F → koi8-r
 DE → cp437, cp866
 2591 (E2 96 91) ░ LIGHT SHADE 90 → koi8-r
 B0 → cp437, cp850, cp866
 2592 (E2 96 92) ░ MEDIUM SHADE 91 → koi8-r
 B1 → cp437, cp850, cp866
 2593 (E2 96 93) █ DARK SHADE 92 → koi8-r
 B2 → cp437, cp850, cp866
 25A0 (E2 96 A0) ■ BLACK SQUARE 94 → koi8-r
 FE → cp437, cp850, cp866
 25AC (E2 96 AC) ▀ BLACK RECTANGLE 16 → IBM_GRAPH
 25B2 (E2 96 B2) ▲ BLACK UP-POINTING TRIANGLE
 1E → IBM_GRAPH
 25BA (E2 96 BA) ► BLACK RIGHT-POINTING POINTER
 10 → IBM_GRAPH
 25BC (E2 96 BC) ▼ BLACK DOWN-POINTING TRIANGLE
 1F → IBM_GRAPH
 25C4 (E2 97 84) ◄ BLACK LEFT-POINTING POINTER
 11 → IBM_GRAPH
 25CB (E2 97 8B) ○ WHITE CIRCLE 09 → IBM_GRAPH
 25D8 (E2 97 98) ● INVERSE BULLET 08 → IBM_GRAPH
 25D9 (E2 97 99) ◉ INVERSE WHITE CIRCLE 0A → IBM_GRAPH
 263A (E2 98 BA) ☺ WHITE SMILING FACE 01 → IBM_GRAPH
 263B (E2 98 BB) ☹ BLACK SMILING FACE 02 → IBM_GRAPH
 263C (E2 98 BC) ☼ WHITE SUN WITH RAYS 0F → IBM_GRAPH
 2640 (E2 99 80) ♀ FEMALE SIGN 0C → IBM_GRAPH
 2642 (E2 99 82) ♂ MALE SIGN 0B → IBM_GRAPH
 2660 (E2 99 A0) ♠ BLACK SPADE SUIT 06 → IBM_GRAPH
 2663 (E2 99 A3) ♣ BLACK CLUB SUIT 05 → IBM_GRAPH
 2665 (E2 99 A5) ♥ BLACK HEART SUIT 03 → IBM_GRAPH
 2666 (E2 99 A6) ♦ BLACK DIAMOND SUIT 04 → IBM_GRAPH
 266A (E2 99 AA) ♪ EIGHTH NOTE 0D → IBM_GRAPH
 266B (E2 99 AB) 🎵 BEAMED EIGHTH NOTES 0E → IBM_GRAPH

IBM_GRAPH — это знаки стандартного знакогенератора IBM PC с кодами 1–31.